P.S INDEX

Issues 182-187

(Jan-Jun 1968)

THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 17
to
ISSUES 182-187

(Jan-Jun 1968)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels by the "Pin-Point" distribution method.

Within limits of availability, older issues may be obtained direct from PS Magazine, Fort Knox, Kentucky, 40121.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 182 to 187 INCLUSIVE

	PS	Page
A		
AIMING CIRCLE, M2--Reasons Needle acts up	183	15
AIRCRAFT ARMAMENT		
2.75 Rockets--Tighten with torque wrench	182	38
7.62-MM Minigun, M134--Lubing, use LSA-T	184	11
M5 Subsystem-Never run gun drive unless launcher's in	182	22
M16/M21 Subsystems		
Boresighting launcher and sight	184	11
M21 Subsystem, Guns--Point down for safety	183	37
AIRCRAFT, ARMY		
Fixed Wing		
O-1 (Bird Dog)		
Armor Kit, Pilot's--Installation	185	64
Correct aileron hinge installation	184	19
Engine oil pump--Use gasket to stop leak	186	41
Engine 0-470-11A--Updated becomes 0-470-15	187	27
OV-1 (Mohawk) Engine--Drain sample	187	27
Control Stick--Locate boot zipper forward	184	17
U-1 (Otter)-Checklists--Use the latest	182	21
U-1A (Otter)-Tailplane Hinge Bolt--Installation of	184	17
U-6 (Beaver) and U-1A (Otter)		
Commercial checklists are outlawed	184	16
U-6A (Beaver)-Props--Correct pitch settings	187	21
Wing-tip navigational light reflector	184	18
U-8 (Seminole)-Prop--New chrome spinner available	184	16
Engine Supercharger Driveshaft Seal--Check	184	19
U-8F (Seminole) Maintenance--Inspect work afterward	187	26
Rear Engine-maints correct installation procedure	186	40
Rotary Wing UH-1(Iroquois)-Maintenance Tips	183	38
Door Release--Lockwire jettison handle	184	13
Main Rotor--Eye stabilizer Bar Dampers	187	24
Main Rotor--Pitch change link adjustment tool	184	12

	PS	Page
AIRCRAFT, ARMY-Rotary Wing, UH-1 (Iroquois) cont'd		
Never use solvents to clean short shaft	184	21
New blood bottle hook	184	12
Voltage Regulator--Use insulating compound	183	43
UH-1C (Iroquois) Tail Rotor Pedal--Remove boot snag	184	20
Controls--Scissors and sleeve washer wear.	187	24
OH-6A (Cayuse)Ear Plug--TB MED 251 lists sizes	186	41
Nickel Cadmium FSN, battery cell FSN	182	21
OH-23 (Raven) Engine--maintain cooling fan	186	38
Fore/oft shipjoint measurement	186	37
Transmission--Warning light fix	185	37
CH-47 (Chinook) Maintenance Tips	183	44
Cable-cutter arming device--You need 2	182	18
Filler Cap, Oil, APU, Leak, replace seal	185	64
Maintenance--Perform regularly	182	2
CH-54 (Tarhe) type listed in TB 55-9150-200-25	184	16
AIRCRAFT, ARMY, GENERAL		
Air delivery pubs get new numbers---55 Series	184	16
APU's PM'd with TM 55-1730-206-15	184	18
Components--Follow info in TB AVN 23-65	182	19
Correct length of safety wire between points	184	15
Electrical Plugs--Lockwire for safety	184	13
Fire Extinguisher, CF3Br--DA Tag 253 not needed	187	26
FOD---Foreign Object Damage	186	29
Inspections--Pull on time-per TB 55-1500-301-25	186	37
Marker, Distress Light, Emergency	187	22
Pubs--New TM 55-1500 Series Engineering manuals	185	64
Records-Fill out DA Form 2410 according to TM 38-750	186	42
Restraint Equipment--Enter on DA Form 2408-18	184	20
Seal first aid kits with copper wire	184	14
Tool Kits--A B C Sets	185	38
Torque--Use tables in TM 55-405-2	182	21
Torque Wrench--Tighten nut or bolt	185	64
Turbine engines oil samples taken every 12-1/2 hours	182	21
Using emergency fuel calls for 2 extra actions	184	16
AVIONICS		
AN/ARC 54 (RT-348) Filter and Unit--clean & dust free	187	25
AMMUNITION--Never spin a fuzed round	183	16
Never monkey around with ammo	184	10
ANTENNAS, RC-292---Safety Caution	185	57
AT-414/TRC--Retainer chain assembly	182	23
AZIMUTH INDICATOR, M28-SERIES		
Micrometer pointer doesn't work same way	183	14

	PS	Page
B		
BAKERY EQUIPMENT, FIELD, Lube--Type to use	183	64
BATTERY, 4HN-24 volt--New FSN	184	65
Nickel-Cadmium--Care of	183	46
BAYONET-KNIFE, M6		
Scabbard--use flat black lacquer on shiny spots	187	42
BOAT, AIRCAT ASLT UTIL--Operational Maint, General	183	54
BRIDGE, ARMORED VEHICLE LAUNCHED		
Lock Pin-Safety Pin . . . with Safety Wire	187	49
BRIDGE LAUNCHER VEHICLE, M48A2		
MWO application	182	49
BRIDGE LAUNCHER VEHICLE, M60A1		
Hydraulic oil reservoir gage	182	48
BUS, 44-Passenger GMC-Turbocharger	185	25
C		
CABLES - Maintenance and Care	184	22
CG-1773A/U--Keep out of way	184	25
H-161 Headset-Microphone--FSN's	185	56
CALENDAR (1968)	182	29
CALIBRATION, TOOLS--No. 2 common	186	57
CAMERA, PH-47, KE-12--Polaroid back handling	183	51
CARRIER, COMMAND POST, M577A1		
Generator, 4.2 KW--Not for PLL	182	59
CARRIER, PERSONNEL, ARMORED M113		
Gun Mount	186	23
Pubs--How to identify models	182	47
Ramp, Fixing the	186	23
Stall check figure	187	45
CARRIER, PERSONNEL (M113 Family) Track Pad-remove	187	45
FSN for shoe assembly	187	45
CARRIER, PERSONNEL, M113A1 Metal Chips	186	22
Blower motor shaft	187	44
CARRIER, RECON, M114 & M114A1 - Door stop MWO	182	47
Number of track shoes in set	182	47
Operating power Cupola	187	46
Three kinds of track	182	46
CARRIER, SP, M106--Keep Traverse Stops	183	17

	PS	Page
COLLIMATOR, M1 -Introduction and general PM info	183	2
COMMAND POST, 577		
Generator V-Belts (See Generator Sets, 4.2 KW (DC)	185	65
CRANE GENERAL		
Boom Shield, Link, and Publication covering	187	59
CRANE-SHOVEL, AMERICAN H&D		
Boom Stops--Use large cotter pins	186	57
Front Wheel-Drive Lever--bend it 22°	186	57
CRANE, 40-Ton P&H MODEL 855 BG		
Proper clutch torque stops breaks	185	61

D

DECONTAMINATING APPARATUS --M11---PLL	187	63
DIRT--Keep Equipment Clean	183	1
DRUM, FUEL, COLLAPSIBLE, 500 Gal		
Filling--Allow for expansion	187	61
DUPLICATING EQUIPMENT-(See Map Copying Sets)		

E

ELECTRONIC EQUIPMENT		
AN/TSQ-43--Change Bulb	183	50
Electronics--Changing cycles per second to Hertz	187	54
Use paint brush for touching up	183	49
ENGINE, CATERPILLAR		
Light load damage to Mdl D353 etc.	185	62
ENGINES, MILITARY STANDARD - Keep Engines Cool	186	BC
3 HP air cleaner hose clamp	182	59
Flywheel bolt torque, The proper	186	65
Halting Oil Leaks in 6 HP	185	58
EQUIPMENT RECORDS		
DA Form 2404--ESC rating on age	187	65
DA Form 2408-7--Disposition	187	62
DA Form 2408-14--Deficiencies	186	62
Gain-Loss Transfer Report	184	29
Numbers for tactical vehicles	182	62
Recording Gun tube changes	182	63
Symbol for next lubrication	184	64

	PS	Page
F		
FADAC, (See Inspection)		
FIRE CONTROL EQUIPMENT--Maint in hot, humid climate	183	12
Purging-charging by user-See TM 750-116	183	65
FSN'S ON MICROFILM	185	1
FUEL, Gasoline, etc--Keep it clean (Continuity)	185	29
Diesel--Alcohol in cold weather	184	65
FUEL FILTER/SEPARATOR, Hose--Another one needed	183	63
FUEL INJECTION SYSTEM		
Collar breakage prevention on injectors	185	65
FORMS, DA, DD, SF, ETC.		
Blank--Check change 6 to AR 310-1 to order	186	65
DA Form 12-21 revised	182	65
DA Form 17--Don't repeat order	187	65
Send in 2028 on publications	185	64
Send in EIR (DA Form 2407)	187	61
FUSES, TH-5/TG & TA-182/U--Never switch fuses	182	26
G		
GENERATORS, 5-and10-KW---Clean crankcase breather	187	64
GENERATOR SETS		
24 Volt System--Battery FSN	184	65
4.2 KW (DC)--FSN for V-Belts	185	65
Emergency switch--Proper use	183	61
Grounding, materials for	183	61
Start-stop method, 1 1/2-10 KW	186	56
Hol-Gar WK-1 (DED)--Slave-starting 12V sets	182	59
Governor--use proper lube	182	59
GRENADE LAUNCHER, M79 - Ammo Bag Available	184	5
Stock--PM for plastic type	184	2
GUN DIRECTION COMPUTER, M18 (FADAC)		
Be Your Own Inspector	185	2
GUN, MACHINE 50 cal, M2--Timing adjusting nut	182	37
GUN, MACHINE 50 cal, M85-Loading see TM9-2350-215-10	186	25
GUN, MACHINE, 7.62-MM, M60 -Maintenance Tips	184	6
Elevation sight scale-how to protect it	187	40
New -10 and -25 TM's	185	65

	PS	Page
GUN, MACHINE, 7.62-MM, M73		
Different Tank, Different flash hider	184	6
GUN, SELF-PROPELLED, 175-MM, M107		
Handcrank can damage different gear	183	17

H

HAWK		
AN/MPQ-39--Go from Radiate to Standby, then off	186	53
AN/MPQ-39 HPI-Keep radiator clean	182	45
AN/TPQ-21 Simulator Station		
Armature Relays--Handle with care	186	53
Batteries--Check for leaky one	186	52
Gears-Dirty--causes trouble in comparators	186	52
Use right lubes	186	52
Launcher		
Aft outrigger pivot pin--Right one needed	186	51
LO--put under rear compartment cover	186	51
Look for shock absorber leaks	182	41
Missile power switch on LCU does nothing	182	41
Moisture in LCU means trouble	186	51
Missile		
Cap plugs are listed in TM	182	44
Container--Keep doors closed, in good shape	186	50
Elevon follow-up cable--connect right way	186	50
Follow TM when purging	182	42
Four things to remember	182	43
Replace tape, not elevon	182	42
Use shorting plugs	182	44
Transmitter test set B--Turn knobs slowly	182	45
HEATER, IMMERSION		
Mirror--Install to see flame	183	63
HELMET, APH-5, FLYING		
TM 10-8415-202-13--Change 1 lists parts	182	65
HELMET, CREWMAN - Cords not for swinging helmet	187	49
HOWITZER, SELF-PROPELLED, 105-mm, M108		
MWO ends premature firing problems	183	65
HOWITZER, SELF-PROPELLED, 155-MM, M109		
Breech ring threads--Rear-most one not critical	182	39

	PS	Page
HOWITZER, SELF-PROPELLED, 8" M110		
Handcrank can damage different gear	183	17
Lube for magnetic clutch	186	27
Spade storage box	186	27
HOWITZER, TOWED, M102, 105-MM		
Instrument light caps	186	27

I

INSPECTION -- Be your own Inspector		
FADAC, M18-Gun Direction Computer	185	2
M1 Collimator	183	2
LUBRICATION - Importance of Lubing	187	1

M

MAINTENANCE		
Career (NCOLP)	186	1
Dirt and PM (Cartoon Section)	183	29
Dirt will do you in	183	1
Lubrication is important	187	1
PM Calendar (1968)	182	29
Training Aids	186	28
MAP COPYING SETS--Clean trays	182	60
MATERIALS HANDLING EQUIPMENT		
Anthony--New starter switch	182	61
Baker MHE 193--Brake shoes and lining	182	61
6,000 lb Anthony--Check lube in hydraulic cylinder	185	61
6000 lb Anthony or Chrysler--Oil pressure gage	184	61
Chrysler 6,000-lb--New "T" Handle	187	60
MICROPHONE, M-80/U--FSN for element	182	27
MINE DETECTOR, Keying Pin-new/better	183	62
MORTAR, 81-MM, M29, M29E1--Don't exceed firing rates	182	40
MULTIMETER, AN/PSM-6()--Use right batteries	184	24

	PS	Page

N

NIKE HERCULES
- Missile
  - Access door screws need lubricant . . . . . 183 — 19
  - Handle rocket motor squibs with care. . . . . 183 — 18
  - Use AN5-13A bolts on hydraulic pumping unit . . . . . 183 — 21
- Simulator Station, AN/MPQ-T I
  - Ask DSU to lube certain parts . . . . . 183 — 18
  - Remove printed wiring assemblies right way . . . . . 183 — 20
- Target-Ranging Radar--Look for trouble spots. . . . . 183 — 19
- Vans, Trailer--DSU replaces escape hatch covers . . . . . 183 — 21
- Vans, Trailer--Switch from 60-watt to 25-watt lamps. . . . 183 — 21

O

OIL-6 HP Mil Std Engine--Stop leak . . . . . 185 — 58

P

PERISCOPE, M36--Disconnect cables . . . . . 186 — 26
POWER SUPPLY, AM-598/U---Hinged clamp damage . . . . 186 — 46
PROTECTIVE MASK, M9 Series--Installing M4 hood . . . . . 185 — 64
PROTECTIVE MASK M17--Must fit right . . . . . 187 — 65
- Copper-colored discoloration . . . . . 186 — 65

PUBLICATIONS
- AG Pubs Centers--Give them new address . . . . . 185 — 64
- AR 350-13 lists DA Pam 350-series--Training . . . . . 182 — 28
- AR 735-35-1--UND/IPD Chart . . . . . 186 — 65
- Catalogs--New C-ML-A's . . . . . 186 — 65
- Commercial-How to get . . . . . 186 — 64
- DA PAM 108-1--Index of films . . . . . 182 — 28
- DA PAM's on training (See AR 350-13) . . . . . 182 — 28
- Document Register cut-off date, AR 345-215 . . . . . 185 — 65
- ESC TM change, rating on age . . . . . 187 — 65
- Form 12-21, Revised for SUPPLY CATALOGS . . . . . 182 — 65
- Indexes--Use them (Back Cover) . . . . . 185 — BC

	PS	Page
PUBLICATIONS Cont'd		
MWO 9-2320-211-20/10, 5-Ton Truck vertical exhaust	182	52
M60 Machine Gun-- -10, -25 TM's	185	65
MTOE & TDA (See DA Cir 310-44)	183	65
New RP&STL's	186	58
Pinpoint, MECOM--DA Form 12-25	182	65
Resupply (See DA Cir 310-51)of pubs	183	28
Supply Catalogs	183	62
TB 750-103--Care of Machine Tools	185	64
TB's team up for calibration	183	28

R

RADAR SET		
AN/MPQ-4A--Scanner motor gearcase-Don't overlube	187	53
AN/PPS-4-- Use care in carrying	186	49
AN/PPS-5--PM Pointers	187	50
AN/TKQ-2--Stop indicator blooming	187	53
RADIAC SETS		
PP-1578 ( )/PD--Pedestal chain ring should move	184	26
RADIO SETS		
AN/GRC-46 ( )--Use care around interconnecting box.	184	27
AN/GRC-106--Maintenance & Operational tips	185	54
AN/PRC-6--Be your own inspector	187	56
AN/PRC-6, AN/PRC-25 -- New batteries	187	55
AN/PRT-4--Antenna Handling	186	46
AN/PRT-4, AN/PRR-9--PM pointers	182	24
AN/TRC-24--Hang up or store handset	183	50
AN/TRC-90 ( )--Easy handling cards	184	26
AN/VRC-12--Off with radio before engine start	186	47
AN/VRC-12--Remove wet dust covers	186	47
RADIO SETS -- Turn OFF Engines	184	66
RADIO RECEIVER, AN/ARN-30()--Go easy when tuning	186	41
RADIO TERMINAL SET, AN/TRC80-FSN's for O-ring screw	186	44
RADIO TRANSMITTER		
T-195 ( )/GRC-19--Use normal blow fuses	184	27
RECEIVER-TRANSMITTER, RT-246 and RT-524		
Guards, not handles on front panel	183	49
Use silicone compound on connector	185	56
RECORDS--See Equipment Records		

	PS	Page
RIFLE, M14, 7.62-MM		
Bolt--Don't switch between weapons	187	39
Butt Plate--Leave screws alone	187	39
Don't cross gas cylinder plug threads	184	9
Flash suppressor cover causes trouble	184	9
TM-- -20 replaces -12 pub	184	8
Use black lacquer on exposed metal	184	8
RIFLE, M16/M16A1, TM Change--Latest on lubing	182	65
Bolt--Don't switch between weapons	187	39
Chamber, Chrome-plated--Still needs cleaning	187	38
LSA Insurance added	187	37
Magazine--Limit 20 rounds	183	65
RIFLE, RECOILLESS, 106-MM		
M8C Spotting Rifle--Check receiver stake points	187	41
M40A1, Mount M79--DS tightens socket-head cap screw	187	41
ROCKET, FOLDING FIN, 2.75-in		
Retaining wires-don't snag 'em	187	43
2.75-in Folding Fin--Use a torque wrench	182	38
ROPE - Wire and Cable--Care and use	184	56

S

SAFETY--Generator grounding supplies	183	61
SAW, CHAIN-Sharpening Machine	186	57
SEARCHLIGHT, XENON-Test Circuits Properly	183	48
SERGEANT MAJOR OF THE ARMY ON PM	182	1
SHOTGUN, 12-gage, M77E-Handle trigger guard with care	187	42
SOLDERING		
Electric Pencil--Tips (Ungar)	182	64
Pershing & Sergeant test sets--type to use	187	65
SPARK PLUG, Aircraft-cleaning method	187	16
SPRINGS--Truck-tightening U-bolts	186	22
STARLIGHT SCOPE - Fit Adapter flat	186	49
SUPPLY		
AR 735-35-1--UND/IPD Chart	186	65
Army Master Data File as Microfilm	185	1
Decontaminating Apparatus, Portable M11--PLL	187	63
New ML's	183	62
New RP&STL's	186	58
Records, Supply-AR 345-215	185	65

	PS	Page
SUPPLY (cont'd)		
Reparables & free turn-in SOP	187	BC
Stop Scrounging	184	1
Turn-In reparables, free turn-in SOP	187	29
SWITCHBOARD		
SB-22/PT, Cleaning Cateyes Strips	186	45
Trim rudder protector on cord assy	187	54
SB-22/PT, SB-86/P--Using magnet on line signals	182	23

T

TANK-M48A2/M48A3--Hydraulic oil reservoir gage	182	48
M48A3		
Better air circulation	186	24
Cupola Problems	183	22
Machine gun loading	184	65
TANK, M60 and M60A1		
Hydraulic oil reservoir gage	182	48
Overdrive Operation	183	48
M60, Machine gun loading	184	65
Removing bore evacuator	186	25
M60A1-Install slave cylinder--keep park brakes on	186	26
TELEPHONE SWITCHBOARD, SB-86/P & SB-22( ) PT		
Tips for operator	183	52
TELEPHONE SET		
TA-43/PT & TA-312/PT--Handset is not a handle	185	57
TELEPHONE TERMINAL		
AN/TCC-7--Proper Cable Connection	183	53
TELETYPEWRITERS - Inspection--TT-537	185	13
TT-76--Proper plug removal	186	48
TENT Driving Aid--How to make	184	61
Medium maintenance--components	186	54
TEST SET, Care, repair and Calibration	185	14
THEODOLITE, BRUNSON, MODEL 901		
Sun can throw out of adjustment	183	15
TIMING LIGHT-Sun-ElectricX47--Common tool kit, No 1&2	187	65
TIRES -- No painting	185	65
Inflation Rack--How to make	187	60
TOOLS Calibration (see Calibration)		
Sets, Special (See Truck, 5-ton, G744 series)	186	18

	PS	Page
TOOLS Cont'd		
Sets and Kits		
Body & Fender repair--In C5180-IL-A	186	20
2nd Echelon No 1 & No 2 common(see timing light)	187	65
2nd Echelon No 2 Common--Breakdown of kit	184	38
2nd Echelon No 2 supplemental supply catalog--New	186	65
Signal		
Nylon wrench for BB-418/U battery cell	182	27
TE-50-B--Correcting size	182	27
TE-123--Screwdriver added	182	26
TK-105/G--Order Defective Tools	183	53
Shop Equipment (See Publications, TB 750-103)	185	64
TRACK VEHICLE, GEN, Light Switch--Use unlock lever	185	26
TRACTOR, CRAWLER, CAT. D7-Maintenance Aids	182	56
Final drive bearing adjustment	186	57
TRACTOR, WHEELED		
290M--New Tachometer Cable	185	60
Idle speed setting on 290M	186	56
TRAILER, AMMO, 1-1/2TON, M332--Rubber Bumpers	185	24
TRAILER, 12-ton, G750		
Landing leg lube	186	21
Panel Assembly--M127, A1, A1C, A2C, FSN's	186	20
TRAILER, SEMI, TANK, 12-TON, G755-SERIES		
M131A5--Hose, air cleaner	184	65
TRAILER, SEMI, 12-TON, M131, Mudflaps	185	65
TRAINING AIDS (See Maintenance)		
Training Film 9-2995 Hydraulic scoop	187	61
TRANSMISSION, CD 850--Oil filter FSN's	187	49
TRANSMITTER, T-368--Replacing tubes	182	26
TRUCK, GENERAL, Light Switch--Use unlock lever	185	26
TRUCK, 1/4-TON, G838-SERIES		
100-Amp System--Carburetor for generator	185	25
Top bow thumb screw substitute	182	51
Clutch rod improved	182	50
Floor drain cover not needed	182	51
Generator pulley, 2-belt--FSN	182	51
Refueling Rate	185	25
Training Film--Maintenance Policy	183	65
TRUCK, 1/4-TON, M151A1C--Move Tail Lights	182	50
TRUCK, 3/4-TON, G741 Series, Be your own Inspector	187	2
FSN for brake-band adjusting bolt	185	27

	PS	Page
TRUCK, 2-1/2-TON, G742 SERIES		
Frame--Bolts, nuts replace rivets	184	37
Multifuel-M44A2 series, Starter MWO	187	65
Fuel Filter Element FSN	183	65
Look for damaged fuel injector supply pump cover	183	27
Mud Flap FSN	184	37
Oil and filter change more often	182	65
TRUCK, 5-TON, G744 SERIES		
Brakes freeze--Breather valve plugged	182	54
Diesel--Oil & Fuel Filter Elements	182	55
Gasoline engine--Governed RPM	185	26
Tools--special sets	186	18
Multifuel		
M39A2-series (multifuel) starter MWO	187	65
Fuel Filter Element FSN	183	65
MWO--Vertical Exhaust	182	52
Oil and filter change more often	182	65
Radiator to engine bracket resilient mounts	185	65

V

VEHICLE, ENGINEER, COMBAT M728		
Hydraulic Oil Reservoir Gage	182	48
VEHICLE, GENERAL--Save radio, turn off engines	184	66
VEHICLE, RECOVERY, M578--Be your own inspector	186	2
VEHICLES, TACTICAL, GENERAL		
Diesel Fuel--Use of alcohol	184	65
Q services replaced	186	21
Turn Flasher-Commercial	182	54
Winch Lube Care	184	60
VEHICLE TANK RECOVERY, M88		
Applying Safety MWO	184	65
Rod-End Bearing Seizure	185	27

W

WELDING TOOL -- How to fabricate	184	62
WOOLDRIDGE, SGM, On PM	182	1

U. S. GOVERNMENT PRINTING OFFICE : 1968 O - 315-386

KEEP YOUR P.M UP TO DATE

You Can't Handle
Modern Army Equipment
Unless You Use
Up-To-Date Manuals!
So, Keep On Top
Of Your Indexes . . . or
You're "23-Skiddoo"*

USE YOUR INDEXES

Set up your Pin-point
order for 'em on
DA Form 12-4

*Ask Grandpa What That Means